



# COMPANY OVERVIEW Viking Sales LLC (dba) LEDUSA specializes in portable outdoor emergency and utility lighting systems. The Truck/Hitch Mounted LED Towers, "TMLT" are rapid deploy, compact, industrial quality mobile lighting systems designed to mount in standard hitch receivers.

### **Customer Information:**

1a. Table of Awarded	SIN 426-4F Emergency Preparedness and First
Special Item Numbers (SINs):	Responder Equipment Training and Services

1b. Lowest Price Model Number and Price Each SIN:	SIN	MODEL	PRICE.
and thice Edon Chy.	426-F	600-1420	\$2676.84
	426-F	600-1410	\$2676.84
	426-F	600-1460	\$2676.84
	426-F	600-1450	\$2676.84
	426-F	600-1955	\$126.15
	426-F	600-1750	\$475.77

			# 200 000
2. IV	laximum Order L	_imit:	\$ 200,000

3. Minimum Order Limit: \$ 0

4. Geographic Coverage SIN 426-4F: V-48 States, DC

5. Production Point: Tulsa, Oklahoma

6. Basic Discount SIN 426 4F: 28% off LEDUSA-TMLT Price List 2015

7. Quantity Discounts: N/A



8. Prompt Payment Terms: Net 30 Days

9. Government Purchase Cards accepted Yes above or below the Micropurchase Threshold

10. Foreign Items: N/A

11a. Time of Delivery: 30 Days ARO

11b. Expedited Delivery: Consult with Contractor

11c. Overnight Delivery: Consult with Contractor

11d. Urgent Requirements: Consult with Contractor

12. FOB Points: SIN 426-4F FOB Destination

13a. Ordering Address: LEDUSA, PO Box 52067,

Tulsa, OK 74152-0067

13b. Ordering Procedures: For Supplies and Services, the ordering procedures,

information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation

(FAR) 8.405-3.

14. Payment Address: LEDUSA, PO Box 52067,

Tulsa, OK 74152-0067

15. Warranty Provisions: 5 Years

16. Export Packing Charges: N/A

17. Terms and Conditions of Government

Purchase Card Acceptance:

Accepted above or below the micro-purchase level

18. Terms and Conditions of Rental: N/A

19. Terms and Conditions of Installation: N/A

20. Terms and Conditions of Repair Parts: N/A

21. List of Service Distribution Points: N/A

22. List of Participating Dealers: N/A

23. Preventative Maintenance: N/A

24a. Special Attributes: N/A

24b. Section 508: N/A

25. Data Universal Number System Number: DUNS 841489755

26. Notification regarding registration in Active in CCR


Central Contractor Registration (CCR) database:







The OptoEngineering Truck Mounted LED Light Tower "TMLT" incorporates high output LED technology, mounts directly to truck hitch receivers, and eliminates the need for bulky trailer generator lighting systems. The TMLT collapses to a compact size and is easily transported in the hitch receiver or in the truck bed. The TMLT can be powered by your vehicle's 12VDC using standard 7 pin trailer receptacles or with optional 120VAC powering options. The OptoEngineering TMLT is a powerful, cost effective solution to nighttime lighting applications.













# TRUCK-HITCH MOUNT LED TOWER 12VDC/80deg

Description:

TMLT-200W-12VDC-7P-80deg

Part Number: 600-1420 UPC Code: 700191988988

Price Each: \$2676.84

Specifications:

Input Voltage: 12VDC Plug: Standard 7 Pin RV

Power: 200W

Amps: 17 @ 12VDC Optic: 80 degree, Lumens: 17,700 Color Temp: 6500K

Rating: IP66 Wet Location









# TRUCK-HITCH MOUNT LED TOWER 12VDC/40deg

Description:

TMLT-200W-12VDC-7P-40deg

Part Number: 600-1410 UPC Code: 700191988995

Price Each: \$2676.84

Specifications:

Input Voltage: 12VDC Plug: Standard 7 Pin RV

Power: 200W

Amps: 17 @ 12VDC Optic: 40 degree, Lumens: 17,700 Color Temp: 6500K

Rating: IP66 Wet Location



# TMLT 12GA Wiring Kit w/ 30A Inline Fuse

Description: TMLT 12ga-30A-7Pin Wire Kit

Part Number: 600-1955 UPC Code: 700191989022

Price Each: \$126.15

Specifications: 12VDC, 7Pin, 12GA, 30ft, 30Amp Inline Fuse











# TRUCK-HITCH MOUNT LED TOWER 120VAC/80deg

Description:

TMLT-200W-120VAC-3P-80deg

Part Number: 600-1460 UPC Code: 700191989008

Price Each: \$2676.84

Specifications:

Input Voltage: 120VAC Plug: Standard 3 Pin Edison

Power: 200W

Amps: 2 @ 120VAC Optic: 80 degree, Lumens: 17,700 Color Temp: 6500K

Rating: IP66 Wet Location









# TRUCK-HITCH MOUNT LED TOWER 120VAC/40deg

Description:

TMLT-200W-120VAC-3P-40deg

Part Number: 600-1450 UPC Code: 700191989015

Price Each: \$2676.84

Specifications:

Input Voltage: 120VAC Plug: Standard 3 Pin Edison

Power: 200W Amps: 2 @ 120VAC Optic: 40 degree, Lumens: 17,700 Color Temp: 6500K

Rating: IP66 Wet Location



### TMLT 120V/12V 300W Power Pack

Description: TMLT Power Pack 120/12V 300W

Part Number: 600-1750 UPC Code: 700191989039


Price Each: \$475.77

Specifications: Input Voltage 120VAC, Output Voltage 12VDC,

Power 300W, Amps 2.5, Standard 7Pin Plug



## TRUCK-HITCH MOUNT LED TOWER SPECIFICATIONS



# TRUCK-HITCH MOUNT LED TOWER FEATURES

- · Fits Directly into Hitch Receiver
- · Gas Spring Assist
- Powerful Light Output
- · Fully Adjustable Horizontal and Vertical Aiming
- High Efficiency Osram LED Technology
- Rapid Deployment
- · Shock and Vibration Resistant
- Easily Deployed in less than 3 Minutes
- · Can Travel in Receiver while in Down Position
- · Heavy Duty Rugged Industrial Construction